



# PERRY JOHNSON LABORATORY ACCREDITATION, INC.

## Certificate of Accreditation

*Perry Johnson Laboratory Accreditation, Inc. has assessed the Organization of:*

***Experior Laboratories, LLC***  
*1635 Ives Avenue, Oxnard, CA 93033*

*and hereby declares that the Organization is accredited in accordance with  
the recognized International Standard:*

**ISO/IEC 17025:2017**

Whereby, technical competence has been confirmed for the associated scope supplement, in the fields of:

***Electrical, Environmental Simulation, Mechanical, and Optical Testing***  
*(As detailed in the supplement)*

Accreditation claims for conformity assessment activities shall only be made from the addresses referenced within this certificate and shall apply solely to those activities identified in the related scope. This Accreditation is granted subject to the Accreditation Body rules governing the Accreditation referred to above, and the Organization hereby commits to observing and complying with those rules in their entirety.

For PJLA:

*Initial Accreditation Date:*

*Issue Date:*

*Expiration Date:*

June 12, 2005

March 02, 2026

April 30, 2028

*Accreditation No.:*

*Certificate No.:*

59356

L26-174

Tracy Szerszen  
President

*The validity of this certificate is maintained through ongoing assessments based  
on a continuous accreditation cycle. The validity of this certificate should be  
confirmed through the PJLA website: [www.pjlab.com](http://www.pjlab.com)*

Perry Johnson Laboratory  
Accreditation, Inc. (PJLA)  
755 W. Big Beaver, Suite 1325  
Troy, Michigan 48084



# Certificate of Accreditation: Supplement


## Experior Laboratories, LLC

1635 Ives Avenue, Oxnard, CA 93033

Contact Name: Ryan Laudato Phone: 805-483-3400

*Accreditation is granted to the facility to perform the following conformity assessment activities:*

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Electrical	Electrical Connectors, Sockets, and Coaxial Contacts	Withstanding Voltage	EIA-364-20	Hi-Pot Tester	F1, F2	F
Environmental Simulation	Electrical Connectors and Sockets	Humidity	EIA-364-31	Chamber	F1, F2	F
Environmental Simulation	Electrical Connectors and Sockets	Temperature	EIA-364-17 EIA-364-59	Chamber	F1, F2	F
Environmental Simulation	Electrical Connectors, Contacts, and Sockets	Salt Spray / Corrosion	EIA-364-26	Salt Spray chamber, scale, DAQ, pH meter, Thermocouple	F1, F2	F
Environmental Simulation	Equipment Used in Central Office and Other Telephone Facilities	Humidity	GR-63-CORE	Chamber	F1, F2	F
Environmental Simulation	Equipment Used in Central Office and Other Telephone Facilities	Temperature	GR-63-CORE	Chamber	F1, F2	F
Environmental Simulation	Fiber Optic Components	Humidity	TIA-455-5	Chamber	F1, F2	F
Environmental Simulation	Fiber Optic Components	Temperature	TIA-455-4	Chamber	F1, F2	F
Environmental Simulation	Fiber Optic Components	Salt Spray / Corrosion	TIA-455-16	Salt Spray chamber, scale, DAQ, pH meter, Thermocouple	F1, F2	F
Environmental Simulation	Fiber Optic Interconnecting Devices and Passive Components	Temperature	IEC 61300-3-3, IEC 61300-3-4	Chamber	F1, F2	F
Environmental Simulation	Mechanical Products, Electrical and Electronic Components and Products	Humidity	MIL-STD-810, RTCA/DO-160, IEC 60068-2-28, MIL-STD-202 MIL-STD-750	Chamber	F1, F2	F



# Certificate of Accreditation: Supplement

## Experior Laboratories, LLC

1635 Ives Avenue, Oxnard, CA 93033

Contact Name: Ryan Laudato Phone: 805-483-3400

*Accreditation is granted to the facility to perform the following conformity assessment activities:*

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Environmental Simulation	Mechanical Products, Electrical and Electronic Components and Products	Temperature	MIL-STD-810, RTCA/DO-160, IEC 60068-2-28, MIL-STD-202, MIL-STD-750	Chamber	F1, F2	F
Environmental Simulation	Mechanical Products, Electrical and Electronic Components and Products	Salt Spray / Corrosion	MIL-STD-810, RTCA/DO-160, MIL-STD-202, MIL-STD-750, SAE J2334, ASTM B 117	Salt Spray chamber, scale, DAQ, pH meter, Thermocouple	F1, F2	F
Environmental Simulation	Optical Connector and Jumper Assemblies	Humidity	GR-326-CORE	Chamber	F1, F2	F
Environmental Simulation	Optical Connector and Jumper Assemblies	Temperature	GR-326-CORE	Chamber	F1, F2	F
Mechanical	Electrical Connectors and Sockets	Vibration	EIA-364-28	UD Dynamics System, Controller, Accelerometer	F1, F2	F
Mechanical	Equipment used in Central office and Other Telephone Facilities	Vibration	GR-63-CORE	UD Dynamics System, Controller, Accelerometer	F1, F2	F
Mechanical	Fiber Optic Components and Cables	Vibration	TIA-455-11	UD Dynamics System, Controller, Accelerometer	F1, F2	F
Mechanical	Fiber Optic Interconnecting Devices and Passive Components – Basic Test and Measurement Procedures	Vibration	IEC 61300-2-1	UD Dynamics System, Controller, Accelerometer	F1, F2	F
Mechanical	Fiber Optic Interconnecting Devices and Passive Components – Basic Test and Measurement Procedures – Test- Fiber/Cable Retention	Fiber/Cable Retention	IEC 61300-2-4	ATS/Instron, Load Cell	F1, F2	F



# Certificate of Accreditation: Supplement


## Experior Laboratories, LLC

1635 Ives Avenue, Oxnard, CA 93033

Contact Name: Ryan Laudato Phone: 805-483-3400

*Accreditation is granted to the facility to perform the following conformity assessment activities:*

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Mechanical	Hydraulic Hose and Tubing Assemblies and Fittings	Fuel Resistance	AS620, AS1227, AS2078	Hand Pump, Pressure Gauge, Chamber	F1, F2	F
Mechanical	Hydraulic Hose and Tubing Assemblies and Fittings	Hydrostatic Pressure (Proof Pressure, Burst Pressure, Thermal Shock)	AS2078 AS1703, AS2094, AS85720	Hand Pump, Pressure Gauge, Chamber	F1, F2	F
Mechanical	Mechanical Products, Electrical and Electronic Components and Products	Vibration	MIL-STD-810, RTCA/DO-160, IEC 60068-2-14, MIL-STD-202, MIL-STD-750	UD Dynamics System, Controller, Accelerometer	F1, F2	F
Mechanical	Optical Connector and Jumper Assemblies	Vibration	GR-326-CORE	UD Dynamics System, Controller, Accelerometer	F1, F2	F
Mechanical	Optical Fiber Cables	Cable Bending	IEC 60794-1-2 Method E11	Cable Bend Test Fixture, Measuring Tape, Caliper	F1, F2	F
Mechanical	Optical Fiber Cables	Cable Kink	IEC 60794-1-2 Method E10	Measuring Tape, Caliper	F1, F2	F
Mechanical	Optical Fiber Cables	Cable Torsion	IEC 60794-1-2 Method E7	Torsion Test Fixture, Scale, Measuring Tape, Caliper	F1, F2	F
Mechanical	Optical Fiber Cables	Crush	IEC 60794-1-2 Method E3	ATS/Instron, Load Cell	F1, F2	F
Mechanical	Optical Fiber Cables	Tensile Performance	IEC 60794-1-2 Method E1 (A/B)	ATS/Instron, Load Cell	F1, F2	F
Optical	Fiber Optic Interconnecting Devices and Passive Components	Insertion Loss/Attenuation	IEC 61300-3-4	Viavi Test System	F1, F2	F



# Certificate of Accreditation: Supplement

## Experior Laboratories, LLC

1635 Ives Avenue, Oxnard, CA 93033

Contact Name: Ryan Laudato Phone: 805-483-3400

*Accreditation is granted to the facility to perform the following conformity assessment activities:*

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Optical	Fiber Optic Interconnecting Devices and Passive Components	Monitoring Change in Attenuation and Return Loss	IEC 61300-3-3	Optical Tower, Fiber Optic Switch, Lightwave Multimeter, Return Loss Plug-in, Power Sensor Plug-In, 4-Wavelength Laser	F1, F2	F
Optical	Fiber Optic Interconnecting Devices and Passive Components	Return Loss	IEC 61300-3-6	Viavi Test System	F1, F2	F

1. Location of activity:

**Location**

F

**Location**

Conformity assessment activity is performed at the CABs fixed facility

2. Flex Code:

F0- Fixed scope item. No deviations allowed to the line item as identified, except for updating to the most recent version of an accredited standard method after verification.

F1- Laboratory has the capability to test a new item, material, matrix, or product similar in composition to item, material, matrix, or product identified on the scope

F2- Laboratory has the capability to introduce the newest revision of an accredited authoritative standard method (with no modifications) identified on the scope

F3- Laboratory has the capability to introduce a parameter/component/analyte to an accredited test method identified on the scope

F4- Laboratory has the capability to introduce a new revision of an accredited non-standard method using the same technology or technique identified on the scope

F5- Laboratory has the capability to introduce a validated method that is equivalent to an accredited method (using same technology or technique) identified on the scope